

Author index

- Agetsuma, N. 387
Ezaki, Y. 63
Furukawa, A. 147, 225
Hagihara, A. 255
Hanazato, T. 267
Haraguchi, A. 205
Hayashi, F. 171
Henmi, Y. 71
Hijii, N. 107
Hirata, T. 31
Hori, Y. 213
Hozumi, K. 255

Ikeda, H. 363
Ikeda, T. 391
Ishida, A. 213
Ishikawa, S-I. 225
Iwaki, H. 97, 363
Iwasa, Y. 55
Iwasaki, K. 305

Kachi, N. 225
Kajimoto, T. 333
Kajimura, H. 107
Kakehashi, M. 235

Kasuya, E. 277
Kato, K. 267
Kimura, M. 199
Kimura, Y. 9
Kudo, G. 297
Kurachi, N. 255
Kusano, H. 133
Kuwamura, T. 43

Lu, X. 183

Makita, A. 245
Mariko, S. 225
Maruyama Y. 193
Masaki, S. 25
Mitsui, T. 179
Morikawa, Y. 193

Nakamura, T. 155
Nakane, K. 9
Natori, T. 363
Nemoto, N. 183
Nomakuchi, S. 87
Nozoe, S. 55

Oh, S-W. 267
Ohga, N. 341

Ohtsu, M. 391
Oka, T. 163
Otuki, A. 267

Sakamoto, M. 355
Sato, T. 1
Sugahara, T. 25
Sugita, H. 119

Takahara, H. 79, 371
Takahashi, K. 355
Takahashi, M. 267
Takatsuki, S. 19, 141
Takeoka, M. 79, 371
Tang, Y. 97
Terazawa, K. 193
Toda, M. J. 283
Totsuka, T. 363

Wada, E. 355
Washitani, I. 97, 187

Yamamoto, H. 267
Yamamura, Y. 213
Yamauchi, A. 55
Yasuda, H. 179
Yasuda, I. 267
Yoshinaga, F. 235

Author index

- Agetsuma, N. 387
Ezaki, Y. 63
Furukawa, A. 147, 225
Hagihara, A. 255
Hanazato, T. 267
Haraguchi, A. 205
Hayashi, F. 171
Henmi, Y. 71
Hijii, N. 107
Hirata, T. 31
Hori, Y. 213
Hozumi, K. 255

Ikeda, H. 363
Ikeda, T. 391
Ishida, A. 213
Ishikawa, S-I. 225
Iwaki, H. 97, 363
Iwasa, Y. 55
Iwasaki, K. 305

Kachi, N. 225
Kajimoto, T. 333
Kajimura, H. 107
Kakehashi, M. 235

Kasuya, E. 277
Kato, K. 267
Kimura, M. 199
Kimura, Y. 9
Kudo, G. 297
Kurachi, N. 255
Kusano, H. 133
Kuwamura, T. 43

Lu, X. 183

Makita, A. 245
Mariko, S. 225
Maruyama Y. 193
Masaki, S. 25
Mitsui, T. 179
Morikawa, Y. 193

Nakamura, T. 155
Nakane, K. 9
Natori, T. 363
Nemoto, N. 183
Nomakuchi, S. 87
Nozoe, S. 55

Oh, S-W. 267
Ohga, N. 341

Ohtsu, M. 391
Oka, T. 163
Otuki, A. 267

Sakamoto, M. 355
Sato, T. 1
Sugahara, T. 25
Sugita, H. 119

Takahara, H. 79, 371
Takahashi, K. 355
Takahashi, M. 267
Takatsuki, S. 19, 141
Takeoka, M. 79, 371
Tang, Y. 97
Terazawa, K. 193
Toda, M. J. 283
Totsuka, T. 363

Wada, E. 355
Washitani, I. 97, 187

Yamamoto, H. 267
Yamamura, Y. 213
Yamauchi, A. 55
Yasuda, H. 179
Yasuda, I. 267
Yoshinaga, F. 235

Subject index

A

- Abies*
 - seedling survival of 155
- Abies firma*
 - distribution pattern and age structure of 387
- Abies mariesii*
 - ecological geography of 119
- acclimatization
 - of tree seedlings to microsite light regimes 187
- activity
 - of *Macrophthalmus japonicus* 71
- adventitious root
 - of *Pinus pumila* 333
- age structure
 - and distribution pattern of *Abies firma* 387
- aggressive coexistence
 - of cichlid fishes 43
- Agriophyllum squarrosum*
 - ecological characteristics of 183
- air pollution
 - and pine forest decay 9
- alpine herbs
 - performance and phenology of, along snow-melting gradient 297
- alpine snow bed
 - performance and phenology of alpine herbs in 297
- ambrosia beetle
 - dynamics of fungal symbionts in 107
- Ambrosiella* sp.
 - in the gallery system and mycangia of the ambrosia beetle 107
- Amphipoda
 - reproductive ecology of 133
- Apodemus*
 - home range and mating system of two sympatric species of 163
- aquatic insects
 - intra- and interspecific variation in body size of 171
- artificial nest boxes
 - to determine home range and mating system of field mice 163
- Ashio, Tochigi Prefecture, Japan
 - high SO₂ resistance of *Clethrionomys barbinervis* in smoke polluted area of 363
- asymmetric bivoltinism
 - in insects 55
- Athyrium brevifrons*
 - gametophyte decay in 1

B

- bacterial cell production
 - effect of dissolved organic substrates on planktonic 267
- belowground stem
 - dynamics and dry matter production of in *Pinus pumila* 333
- bivoltine insects
 - optimal seasonal timing of 55
- blight
 - damage to pine forest 9
- body size at maturity
 - of *Protohermes* 171
- bryophyte
 - effect on survival of conifer seedlings 155

C

- C/F ratio
 - effect on *Sasa kurilensis* seedlings 245
- carbon gain simulation
 - leaf, for *Quercus serrata* seedlings 187
- carbon isotope ratio
 - and photosynthetic activity of phytoplankton 355
- cavitation, xylem
 - detection in pine trees 391
- Cellana toreuma*
 - factors affecting individual variation in resting site fidelity of 305
- Cervus nippon*
 - effect of transmission-line corridor on habitat use 141
- clear-cutting
 - of forest, effect on Sika deer habitat use 141
- Clethrionomys barbinervis*
 - SO₂ resistance of, in smoke polluted area 363
- clutch size
 - of *Jesogammarus suwaensis* 133
- coastal plants
 - germination ecology in relation to salt environment 225
- communal foraging ground
 - for great reed warblers 63
- community
 - mosquito 179
- community function
 - of sessile organisms 31
- community structure
 - of sessile organisms 31
- comparative ecology

- to determine effect of salt environment 225
- Cryptomeria japonica*
 - as indicator of postglacial vegetation history 79

D

- Dacus cucurbitae*
 - female mate preference and offspring fitness in 277
- damselfly
 - male reproductive polymorphism and habitat utilization in the 87
- dead seeds
 - of herbaceous lomas on Loma Ancon, central Peru 341
- dissolved organic substrates
 - effect on planktonic bacterial cell production 267
- distribution
 - of Sika deer 19
- distribution pattern
 - and age structure of *Abies firma* 387
- drosophilids
 - three-dimensional dispersion of in a cool temperate forest, northern Japan 283
- dry matter production
 - and dynamics of belowground woody organs of *Pinus pumila* trees 333
- dynamics
 - and dry matter production of belowground woody organs of *Pinus pumila* 333

E

- Ecological geography
 - of range of *Abies mariesii* forest 119
- edge effect
 - of forest on drosophilids 283
 - of forest on Sika deer habitat use 141
- enclosure experiment
 - on control mechanism of planktonic bacterial standing stock 267
- evolutionarily stable strategy
 - of pathogens 235
- excised shoot
 - of pine trees 391

F

- female mate preference
 - and offspring fitness in *Dacus cucurbitae* 277
- field-grown pine trees
 - detection of xylem cavitation in 391
- floating peat mat
 - seasonal change in redox property of a 205
- flower number
 - of alpine herbs along snow-melting gradient 297

- fog
 - effect on herbaceous lomas, central Peru 341
- foliage height profile
 - and dispersion of drosophilids 283
- foraging habitat selection
 - of great reed warblers 63
- fruit number
 - of alpine herbs along snow-melting gradient 297
- fungal symbionts
 - of the ambrosia beetle 107

G

- gallery system
 - dynamics of fungal symbionts in, of the ambrosia beetle 107
- gametophyte decay
 - in *Athyrium brevifrons* 1
- gap formation
 - effect on establishment of *Abies firma* 387
- germination
 - of coastal plants in relation to salt environment 225
- grazing pressure
 - effect on planktonic bacterial cell production 267
- great reed warblers
 - importance of communal foraging grounds to 63
- gross photosynthetic rate
 - seasonal and vertical changes of in Japanese larch 255
- Gryllidae
 - larval development and wing form 25

H

- habitat utilization
 - of male damselfly 87
- handicap model
 - of evolution of female mate preference in relation to *Dacus cucurbitae* 277
- herbaceous lomas
 - buried seed population on Loma Ancon, central Peru 341
- herbivorous cichlids
 - coexistence of 43
- home range
 - of *Apodemus* spp. 163
- homing behaviour
 - of *Cellana toreuma* 305
- Honshu, northeast
 - Abies mariesii* forest in 119
- hoof load
 - of Sika deer 19
- host population
 - evolution of airborne infectious diseases according to changes in 235
- hydraulic conductance

soil-to-leaf, in water use of understorey woody plants 213

I

individual variation
 in resting site fidelity of *Cellana toreuma* 305
 infectious diseases, airborne
 evolution of 235
 Inner Mongolia, China
Agriophyllum squarrosum on sand dunes in 183
 interaction
 of *Macrophthalmus japonicus* 71
 interspecific aggression
 in cichlid fishes 43
 interspecific difference
 in SO₂ resistance between plants 363
 intertidal limpets
 factors affecting individual variation in resting site
 fidelity of 305
 intraspecific variation
 in SO₂ resistance in *Clethra barbinervis* 363
 island biogeography
 and variation in *Protobermes* 171

J

Japan
 distribution of Sika deer in 19
 Japan, northern
 three-dimensional dispersion of drosophilids in cool
 temperate forest in 283
 Japanese larch
 canopy photosynthetic production in 255

K

Kiso mountain range, central Japan
 dynamics and dry matter production of
 belowground woody organs on *Pinus pumila*
 growing on 333

L

Lake Suwa, central Japan
 reproductive ecology of *Jesogammarus suwaensis*
 in 133
 Lake Tanganyika
 territories of cichlid fishes in 43
 land use
 effect on pine forest 9
 Landsat TM data
 of blight 9
Larix kaempferi
 photosynthetic and stomatal responses to short-
 term waterlogging 193

larval development
 of Gryllidae 25
 last glacial period
 vegetation history since, in Mikata lowland 371
 leaf growth
 seasonal and vertical changes in Japanese
 larch 255
 leaf ontogeny
 of sunflowers 147
 leaf respiration rate
 seasonal and vertical changes in Japanese
 larch 255
 less-inclined slopes
 as habitat for *Abies mariesii* 119
 light availability
 within *Miscanthus sinensis* canopy 97
 lucidophyllous forest
 postglacial development in Sea of Japan area 79

M

Macrophthalmus japonicus
 mechanisms of cross-shore distribution pattern
 of 71
 male polymorphism
 in damselfly 87
 mass flowering
 survivorship of *Sasa kurilensis* after 245
 mathematical model
 of airborne infectious diseases 235
 mating system
 of *Apodemus* spp. 163
 of damselfly 87
 mating territory
 of cichlid fishes 43
 microsite light
 in a temperate pine forest 187
 within an *Miscanthus sinensis* canopy 97
 Mikata lowland, Sea of Japan area, western Japan
 vegetation history since last glacial period in 371
 Mikawa Bay, Japan
 carbon isotope ratio and photosynthetic activity of
 phytoplankton in 355
Miscanthus sinensis
 light availability within canopy 97
 Mizorogaike Pond, central Japan
 species distribution and seasonal change in the
 redox property of peat in a floating mat in 205
Mnais pruinosa
 male reproductive polymorphism and habitat
 utilization of 87
 molting cycle
 of *Jesogammarus suwaensis* 133
 mosquitoes
 prey-predator relationship among three
 larval 179
 Mt Goyo, northern Honshu, Japan

- effects of transmission-line corridor on Sika deer habitat use at 141
- mud crab, *Macrophthalmus japonicus* mechanisms of cross-shore distribution pattern of 71
- mycangia
 - of the ambrosia beetle 107

N

- Nabeta Bay, Izu Peninsula, Japan sessile organisms in 31
- needle water potential
 - in pine trees 391
- net photosynthesis
 - effect of waterlogging in *Larix kaempferi* 193
- non-random mating
 - in *Dacus cucurbitae* to determine offspring fitness 277

O

- offspring quality
 - and female mate preference in *Dacus cucurbitae* 277
- optimal phenology
 - for univoltine and bivoltine insects 55
- overlapping territories
 - of cichlid fishes 43

P

- Peruvian desert
 - buried seed population in herbaceous lomas in 341
- phenology
 - and performance of alpine herbs along snow-melting gradient 297
- photoperiod
 - effect on larval development and wing form of Gryllidae 25
- photosynthesis
 - and carbon isotope ratio of phytoplankton 355
 - effect of SO₂ on, in *Clethra barbinervis* 363
- photosynthetic photon flux density
 - within an *Miscanthus sinensis* canopy 97
 - within microsites of a pine forest 187
- photosynthetic production, canopy
 - in a Japanese larch stand 255
- physiographic conditions
 - of *Abies mariesii* forest 119
- phytoplankton
 - carbon isotope ratio and photosynthetic activity of 355
- pine forest
 - blight damage to 9

- leaf carbon gain simulation for tree seedlings
 - in a 187
- Pinus pumila*
 - dynamics and dry matter production of belowground woody organs of 333
- Pinus thunbergii*
 - seasonal change in specific needle weight of 199
- pioneer annual
 - on sand dunes 183
- planktonic bacterial standing stock
 - enclosure experiment on the control mechanism of 267
- plant height
 - of alpine herbs along snow-melting gradient 297
- pollen analysis
 - to determine vegetation history in Sea of Japan area 79, 371
- polygyny
 - in great reed warblers 63
- postglacial period
 - change in range of *Abies mariesii* forest during 119
 - vegetation history in the Sea of Japan area 79, 371
- precopula duration
 - of *Jesogammarus suwaensis* 133
- pressure-volume curve
 - in water use by understorey plants 213
- prey availability
 - for *Protobermes* 171
- prey-predator relationship
 - among three larval mosquitoes 179
- Protobermes*
 - intra- and interspecific variation in body size of 171
- Pseudosimochromis curvifrons*
 - overlapping territories of 43

R

- regeneration process, early
 - of *Sasa kurilensis* after mass flowering 245
- reproductive stages
 - of *Jesogammarus suwaensis* 133
- reserve dynamics
 - of *Pinus thunbergii* pine needles 199
- rich food supply
 - for great reed warblers 63
- root depth
 - of *Agriophyllum squarrosum* on sand dunes 183

S

- salt environment
 - germination ecology of coastal plants in relation to 225
- salt tolerance

- of coastal plants 225
 - sapling
 - distribution and age structure of *Abies firma* 387
 - Sasa kurilensis*
 - survivorship during early regeneration after mass flowering 245
 - Sea of Japan area
 - postglacial vegetation history of 79
 - vegetation history since last glacial period in 371
 - seasonal change
 - in specific needle weight of *Pinus thunbergii* 199
 - in redox property of peat 205
 - seasonal environment
 - for univoltine and bivoltine insects 55
 - seasonal inundation
 - of floating peat mat 205
 - seasonal variation
 - in microsite light availability 97
 - secondary forest
 - three-dimensional dispersion of drosophilids in 283
 - sediment redox property
 - seasonal change and relation to vegetation 205
 - seed population, buried
 - in herbaceous lomas on Loma Ancon, central Peru 341
 - seedling survival
 - effect of bryophytes on conifer 155
 - self-thinning
 - of *Sasa kurilensis* after mass flowering 245
 - sessile organisms
 - succession of 31
 - shading, of enclosure
 - effect on planktonic bacterial cell production rate 267
 - shifting sand dunes
 - establishment of *Agriophyllum squarrosum* on 183
 - Sika deer
 - foot morphology and distribution of 19
 - Sika deer
 - effects of transmission-line corridor on habitat use 141
 - site fidelity
 - individual variation in *Cellana toreuma* 305
 - size structure
 - of *Athyrium brevifrons* 1
 - size-dependent cross-shore distribution
 - of *Macrophthalmus japonicus* 71
 - snow depth
 - effect on Sika deer 19
 - snow-free period
 - effect on alpine herbs along snow-melting gradient 297
 - snow-melting gradient
 - performance and phenology of alpine herbs along 297
 - SO₂ resistance
 - of *Clethra barbinervis* 363
 - soil moisture
 - and gametophyte decay 1
 - spatial distribution
 - of *Apodemus* spp. 163
 - specific needle weight
 - of *Pinus thunbergii* pine needles 199
 - stationary tendency
 - of *Macrophthalmus japonicus* 71
 - stomatal conductance
 - effect of waterlogging in *Larix kaempferi* 193
 - of sunflowers 147
 - stomatal frequency and size
 - of sunflowers 147
 - subalpine forest
 - effect of bryophytes on survival of conifer seedlings in 155
 - subalpine zone
 - distribution of *Abies mariesii* in the 119
 - subtidal
 - sessile organisms 31
 - succession
 - of sessile organisms 31
 - sunfleck
 - PPFD measurements within an *Miscanthus sinensis* canopy 97
 - sunflowers
 - ontogenetic changes in stomatal size and conductance of 147
 - surviving area
 - of *Athyrium brevifrons* 1
 - survivorship
 - of *Sasa kurilensis* after mass flowering 245
- ## T
- territory
 - of damselfly 87
 - of great reed warblers 63
 - three-dimensional dispersion
 - of drosophilid flies in cool temperate forest 283
 - Torihamma, Fukui Prefecture, Japan
 - postglacial vegetation history of 79
 - transmission line corridor
 - effect on Sika deer habitat use 141
 - transpiration
 - in understorey woody plants 213
 - tree structure
 - of *Pinus pumila* 333
 - Tsuga
 - seedling survival of 155
- ## U
- ultrasonic acoustic emission
 - to detect xylem cavitation in field-grown pine trees 391

univoltine insects
optimal seasonal timing of 55

V

vegetation history
of the Sea of Japan area 79, 371
viable seeds
of herbaceous lomas on Loma Ancon, central
Peru 341

W

water potential, leaf
in understorey woody plants 213
water relations
of *Larix kaempferi* 193

water use
in understorey woody plants 213
waterlogging
effect on *Larix kaempferi* seedlings 193
wetland vegetation
effect of seasonal change in redox property of peat
on 205
wing form
of Gryllidae 25
woody plants, understorey
leaf water potential and soil-to-leaf hydraulic
conductance in water use by 213

X

Xylosandrus mutilatus
dynamics of fungal symbionts in the gallery system
and mycangia of 107

